USSN: 10/005,760 Docket No.: 687-456

## In the Claims:

Please cancel claims 1-4 without prejudice.

Claims 5-9 and 12-14 were previously cancelled without prejudice.

10. (Previously Presented) A bone-boring device, comprising:

at least one curved needle adapted for extending to bore a hole in a bone;

a base holding said needle and adapted for being placed against a bone;

a handle coupled to the base, the handle capable of receiving a force in a particular direction for associating the device with a region that is at least substantially adjacent bone; and

a needle retractor, which retracts said needle when [[a]] the force on said handle [[in a particular direction]] is lower than a predetermined amount, prior to said base retreating from said bone <u>region</u> in response to a lowering of the force <u>below the predetermined amount</u>.

11. (Amended Herein) A bone-boring device, comprising:

at least one curved needle adapted for extending to bore a hole in a bone;

a base holding said needle and adapted for being placed against a bone;

a handle coupled to the base, the handle capable of receiving a force in a particular direction for associating the device with a region that is at least substantially adjacent bone; and

a needle advancer, which advances said needle only when a force on said handle in a particular direction is higher than a predetermined amount, said predetermined amount [[force]] assuring that said base is urged against said bone.

[[and a needle advancer, which advances said needle only when a force on said handle in a particular direction is higher than a predetermined amount, said predetermined force assuring that said base is urged against said bone.]]

USSN: 10/005,760 Docket No.: 687-456

15. (Amended Herein) A self-aligning device for boring into bone, comprising:

- a boring head having at least two boring tips;
- a body;
- a handle attached to said body; and
- a hinge coupling said <u>boring</u> head to said body at a location substantially equidistant from said boring tips.
- 16. (Previously Amended) A device according to claim 15, wherein said boring tips comprise drill bits.
- 17. (Previously presented) A device according to claim 15, wherein said boring tips comprise boring needles.
- 18. (Previously presented) A device according to claim 15, wherein said head includes a power source for activating said boring tips.
- 19. (Previously presented) A device according to claim 15, wherein said boring tips face said handle.
- 20. (Previously presented) A method for forming a channel in a bone, comprising the steps of:

providing a device capable of drilling a hole in bone and of advancing a needle, drilling two holes in a cortex of the bone with the device; and using the device to advance at least one needle through said drilled holes through a medulla of said bone.

- 21. (Previously presented) A method according to claim 20, wherein said holes are perpendicular to a surface of said bone.
- 22. (Previously presented) A method according to claim 20, wherein said at least one needle comprises two needles that meet inside the bone.

23. (Amended Herein) Apparatus for forming a channel in a bone, comprising:

at least two drill bits for drilling into a bone; [[and detecting a channel formed therethrough and an aperture from the outside of said bit to said channel; and]]

each of said drill bits having an aperture on a side thereof; and at least one needle adapted to fit through at least one of said apertures to pass a suture therethrough.

Please cancel claim 24 without prejudice.

- 25. (Amended Herein) Apparatus according to claim [[24]] 23, wherein said drill bits are parallel.
- 26. (Previously presented) Apparatus according to claim 23, wherein said at least one needle comprises at least two needles.
- 27. (Amended Herein) Apparatus according to claim 23, wherein said at least one needle comprises a curved needle[[s]].

Please cancel claim 28 without prejudice.